


P A T E N T

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: KATHRYN M. USHER et al.	Confirmation No.: 8683
Patent No.: 7,097,690	Issued: AUGUST 29, 2006
Serial No.: 10/684,215	Filed: OCTOBER 10, 2003
Docket No.: 1001.1736101	Customer No.: 28075
Title: APPARATUS AND METHOD FOR REMOVING GASSES FROM A LIQUID	

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR
APPLICANT MISTAKE AND PTO MISTAKE**

ATTENTION: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF ELECTRONIC TRANSMISSION	
I hereby certify that this paper is being electronically transmitted to the United States Patent and Trademark Office on the date shown below.	
 _____ Thu H. Le-To	<u>OCTOBER 12, 2006</u> _____ Date

Dear Sir:

An error appears in this patent of a clerical nature. At line 7 of page 12, the word "al" was a typographical error, and should have been "at". The error occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

Errors also appear which are of PTO mistake.

Attached is Form PTO/SB/44

The exact page and line number where the errors where the PTO errors are shown correctly in the Amendment filed October 14, 2005, at page 9, line 23; and page 11, line 17.

Applicants hereby authorized the Director to charge the fee of \$100 as set forth in 37 CFR § 1.20(a) to Deposit Account 50-0413. Please charge any additional fees or credit overpayment to Deposit Account No. 50-0413.

OCT 19 2006

Please send the Certificate to Customer No.: 28075.

Respectfully submitted,

KATHRYN M. USHER et al.

By their attorney,

Date:

October 12, 2006



J. Scot Wickhem, Reg. No. 41,376
CROMPTON, SEAGER & TUFTE, LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, Minnesota 55403-2420
Telephone: (612) 677-9050
Facsimile: (612) 359-9349

OCT 19 2006